



JC07 Rec'd PCT/PTO 04 APR 2001

09/806785

ATTORNEY DOCKET NO. BOE01 001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DESIGNATED OFFICE

In re the Application of: Robert Frischholz

International Application No.: PCT/EP9907334

International Filing Date: October 4, 1999

Priority Date Claimed: October 5, 1998

Title: PERSONAL RECOGNITION METHOD AND SYSTEM,
INCLUDING MODEL-BASED FINDING

TRANSMITTAL

United States Designated Office
United States Patent and Trademark Office
Box PCT
Washington, D.C. 20231

Sir:

Please commence national stage examination pursuant to 35 U.S.C. 371 for the above-identified PCT patent application.

Enclosed are:

- [X] A copy of the international application as filed, including:
 - [X] Abstract, 8 pages of specification and Claims 1-8.
 - [X] Two (2) sheets of drawings showing Figures 1-4.
- [x] An English Translation of the application as filed, including:
 - [x] Abstract, 6 pages of specifications and Claims 1-8.
 - [x] Two (2) sheets of drawings showing Figures 1-4.

- [x] An English translation of amended page 2 of the specifications.
- [x] An English translation of amended Claims 1-8.
- [x] A Preliminary Amendment canceling Claims 3-8 and adding Claims 9-27.
- [x] An International Search Report along with an English Translation
- [X] A check in the amount of \$ 878.00 to cover the filing fee as calculated below:

NUMBER OF CLAIMS	NUMBER EXTRA	LARGE/SMALL ENTITY	FEE
TOTAL	21 - 20 = 1	x	\$18 or \$9 = \$18.00
INDEP.	1 - 3 = 0	x	\$80 or \$40 = \$0.00
MULTIPLE DEPEND.	[] Yes		\$270 or \$135 = \$
For filing with EPO or JPO search report			
\$860 or \$430 = \$860.00			
If International Preliminary Exam fee paid to USPTO			
\$690 or \$345 = \$			
If International Preliminary Exam fee paid to USPTO			
<u>and</u> all USPTO indicates all claims are allowable			
\$ 100 or \$ 50 = \$			
If International Search fee paid to USPTO, but International			
Preliminary Exam fee <u>not</u> paid to USPTO			
\$710 or \$355 = \$			
If neither International Search fee nor International			
Preliminary Exam fee paid to USPTO			
\$1,000 or \$500 =			
TOTAL FILING FEES			=\$878.00

The Commissioner is hereby authorized to charge payment of any additional fees associated with this communication under 37 CFR 1.492 or CFR 1.16 or to credit any overpayment to Deposit Account No. 18-1835.

09/806785

JC08 Rec'd PCT/PTO 0 4 APR 2001

A duplicate of this sheet is enclosed.

Respectfully submitted,



L. Lawton Rogers, III
Reg. No. 24,302
D. Joseph English
Reg. No. 42,514
Mark C. Comtois
Reg. No. 46,285
Patrick D. McPherson
Reg. No. 46,255

1401 Eye Street, N.W., Suite 300
Washington, DC 20005
Telephone: (202) 898-1515
Telecopier: (202) 898-1521

Dated: April 4, 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of Robert Frischolz

Serial No.: Unassigned

Filed: Herewith

International Application No.: PCT/EP9907334

International Filing Date: October 4, 1999

Title: PERSONAL RECOGNITION METHOD AND SYSTEM,
INCLUDING MODEL-BASED FINDING

PRELIMINARY AMENDMENT

The Honorable Commissioner of
Patent and Trademarks
Washington, D.C. 20231

Sir:

Preliminary to the examination of the subject application, please amend the subject application as follows:

In the Claims:

Please cancel Claims 3-8 without prejudice.

Please add the following new Claims 9-27:

-- 9. (New) The method as claimed in Claim 1, wherein the binarized image first is compared on a small scale with a face model of corresponding small size, the area of the binarized image in which a face was found is enlarged and compared once again with a face model of corresponding larger size, the enlarging and comparing of the binarized

image area and face model are repeated, as the case may be, until the face in the binarized image was localized with sufficient accuracy.

-- 10. (New) The method as claimed in Claim 2, wherein the binarized image first is compared on a small scale with a face model of corresponding small size, the area of the binarized image in which a face was found is enlarged and compared once again with a face model of corresponding larger size, the enlarging and comparing of the binarized image area and face model are repeated, as the case may be, until the face in the binarized image was localized with sufficient accuracy.

-- 11. (New) The method as claimed in Claim 9, wherein different face models with different resolutions are used depending on the size of the binarized image.

-- 12. (New) The method as claimed in Claim 10, wherein different face models with different resolutions are used depending on the size of the binarized image.

-- 13. (New) The method as claimed in Claim 9, wherein the edge extraction for deriving the binarized image from the original image is carried out with different resolutions depending on the size of the binarized image.

-- 14. (New) The method as claimed in Claim 10, wherein the edge extraction for deriving the binarized image from the original image is carried out with different resolutions depending on the size of the binarized image.

-- 15. (New) The method as claimed in Claim 11, wherein the edge extraction for deriving the binarized image from the original image is carried out with different resolutions depending on the size of the binarized image.

-- 16. (New) The method as claimed in Claim 12, wherein the edge extraction for deriving the binarized image from the original image is carried out with different resolutions depending on the size of the binarized image.

-- 17. (New) The method as claimed in Claim 9, wherein the face model and/or the binarized image are rotated and different steps of the rotation are used in depending on the size of the binarized image.

-- 18. (New) The method as claimed in Claim 10, wherein the face model and/or the binarized image are rotated and different steps of the rotation are used in depending on the size of the binarized image.

-- 19. (New) The method as claimed in Claim 11, wherein the face model and/or the binarized image are rotated and different steps of the rotation are used in depending on the size of the binarized image.

-- 20. (New) The method as claimed in Claim 12, wherein the face model and/or the binarized image are rotated and different steps of the rotation are used in depending on the size of the binarized image.

-- 21. (New) The method as claimed in Claim 13, wherein the face model and/or the binarized image are rotated and different steps of the rotation are used in depending on the size of the binarized image.

-- 22. (New) The method as claimed in Claim 14, wherein the face model and/or the binarized image are rotated and different steps of the rotation are used in depending on the size of the binarized image.

-- 23. (New) The method as claimed in Claim 15, wherein the face model and/or the binarized image are rotated and different steps of the rotation are used in depending on the size of the binarized image.


-- 24. (New) The method as claimed in Claim 16, wherein the face model and/or the binarized image are rotated and different steps of the rotation are used in depending on the size of the binarized image.

-- 25. (New) The method as claimed in Claim 1, wherein in the Hausdorff measure is determined on the basis of the average value of a certain percentage of the smallest minimum Hausdorff spacings, the percentage being between 0% and 100 %.

-- 26. (New) A system for implementing the method as claimed in Claim 1, comprising a computing device for calculating the Hausdorff spacing and the Hausdorff measure on the basis of the dots of the binarized image and the face model.

-- 27. (New) A system for implementing the method as claimed in Claim 25, comprising a computing device for calculating the Hausdorff spacing and the Hausdorff measure on the basis of the dots of the binarized image and the face model.

Respectfully submitted,

By: 
L. Lawton Rogers, III
Reg. No. 24,302
D. Joseph English
Reg. No. 42,514
Mark C. Comtois
Reg. No. 46,285
Patrick D. McPherson
Reg. No. 46,255

1401 Eye Street, N.W., Suite 300
Washington, D.C. 20005
Telephone: (202) 898-1515
Telecopier: (202) 898-1521

Dated: April 4, 2001

Personal recognition method and system,
including model-based face finding.

The invention relates to a personal recognition method and system, including model-based face finding.

There are methods and systems of biometric personal recognition based on a combination of face recognition, speech recognition, and lip movement recognition. The critical part thereof is the face finding. The invention relates to a method and a system of localizing the face of a person in any camera pictures within such a system of biometric personal recognition.

The fundamental element in face recognition is the face finding, i.e. the precise localizing of the image sector which corresponds to the human face. Some solutions proposed in the prior art simplify these problems by requiring a uniform background in front of which the human face can be found. A face also can be recognized by including moving picture information, it being assumed that the face is contained only in that area of a picture which changes in the course of a picture sequence.

Such simple approaches no longer meet present day requirements of face finding and face recognition. Personal recognition nowadays is assisted, for instance, by PC desk top cameras and other mobile cameras and, therefore, face finding must be robust and work with any kind of background, even with a moving background picture.

The most successful approaches known to date in this field make use of neuron networks. These networks are trained with a great number of examples of faces. In this training an even greater number of "non-face images" are used as a counter-class so that, in the end, the neuron network will be able to distinguish between face and background. It is a disadvantage of this method, apart from the long computing time, that it is highly dependent on variants, like scaling, rotation, and distortion.

It is, therefore, an object of the invention to indicate a novel system and method of face finding which is both robust and able to accomplish the face finding in real time.

This object is met, according to the invention, by a method comprising the features recited in claim 1 and a system comprising the features recited in claim 8.

The method and system according to the invention are model-based. What this means is that a binary image of a human face or a so-called "line drawing" is searched for in a corresponding overall image. Thus an original picture first is converted into a binary image, for instance, by means of edge extraction. This binarized image then is compared with a binary face model to seek and find the image of the human face in the corresponding binarized total image. In contrast to the known approaches, therefore, it is not the intensity value of the individual camera pixels which is compared or pixel variations which are looked for. Rather, the invention relies on a model structure of the type of a line drawing which may be available, for example, in the form of a bit image.

The model of the face or the "line drawing" is compared with the binarized image by means of a modified version of the so-called Hausdorff spacing in numerous scaling, rotation, and distortion variants of the image. The application of the Hausdorff spacing to face recognition was described, e.g. by B. Takacs and H. Wechsler in "Face Recognition Using Binary Image Metrics", 2nd International Conference on Automatic Face and Gesture Recognition, IEF Proceedings, April 1998. Reference is expressly made to that publication and the explanation it contains of the Hausdorff spacing.

The publication mentioned describes the use of the Hausdorff spacing for purposes of face recognition. It is stated expressly that face finding is achieved by a method which is totally different. It was not taken into consideration in the prior art to apply the Hausdorff spacing for the purpose of face finding, among other things because this algorithm takes an awful lot of calculating time.

The fundamental differences between the problems of face finding and face recognition should be recalled: Once the face is found in a picture, especially in a moving picture this facial picture can be compared with a collection of faces from a data base by almost any method of recognition or identification. If the face in question is contained in the data base the hit rates in general usually are very high, amounting to approximately 99 %. What is difficult with personal recognition, however, is the preceding step, namely first to find the face in any random picture and make a perfect "cutout" thereof. What may appear to be a minor differ-

ence in a literal comparison of face recognition and face finding ultimately is decisive for the quality of the result of facial and, therefore, personal recognition.

Image comparison by resorting to the Hausdorff spacing is based on the following principles:

Two groups of dots are formed of the binarized image and the face model

$$A = \{a_1, \dots, a_m\}$$

and

$$B = \{b_1, \dots, b_n\}$$

The Hausdorff spacing then is defined by

$$H(A, B) = \max(h(A, B), h(B, A))$$

with

$$h(A, B) = \max_{a \in A} \min_{b \in B} \|a - b\|.$$

The system and method according to the invention are not susceptible to the most frequent disturbing effects, such as rotation, different scaling, or distortion of the picture because it is easy to take these into account when comparing the dot groups. Nor is a long learning process needed for application of the method according to the invention, in contrast to the use of neuron networks. Other than with the approaches by way of neuron networks, furthermore, it is not necessary to predetermine, learn, or otherwise allow for any "non-face images". The system recognizes a face like a person does, based on the characteristics of the face itself rather than by relying on background traits which thus need not be taken into consideration. Special characteristics looked for (e.g. a person wearing glasses) quickly can be taken into account in the model by designing the model or "line drawing" accordingly.

In the future, the system and method according to the invention may be used in biometric identification systems for automatic biometric access control with which often facial recognition is combined with speech recognition, lip movement recognition, retina scanning etc.

The invention permits to find the exact face sector, locate the exact eye position for retina scanning, locate the exact mouth position for calculating lip movements, and the like.

But the system and method according to the invention can be applied much more universally too, for instance, by establishing certain binary models so that only persons with certain facial characteristics will be recognized in order to make a distinction according to such aspects as mimics, race, or gender. The method and system according to the invention are not even restricted to face finding because the model for which the search is made also might comprise a hand or another one or more parts of the human body or some matter.

In its preferred embodiments the invention provides for use of a modified Hausdorff spacing to perform the face finding so that the calculating expenditure may be minimized and, therefore, a result be obtained within reasonable computing time. The present embodiment of the modified Hausdorff spacing for face finding permits detection of approximately one face image per second.

In addition, the invention provides a novel preselection of the image by special utilization of the voronoi surface, as further contribution to accelerating the process.

The system and method according to the invention can be realized by software as well as hardware modules, the modified algorithms either being programmed or implemented as separate hardware so that they are real-time suitable, at least in the hardware embodiment.

The invention will be described in greater detail below with reference to the drawings, in which:

Fig. 1 shows an original picture taken with a digital camera;

Fig. 2 shows a binarized version of the original picture of fig. 1;

Fig. 3 shows a binary face model in the form a line drawing; and

Fig. 4 shows the position of the face model found in the binarized image of fig. 2 with the assistance of the face model of fig. 3.

Fig. 1 shows the original picture of a person, including the face, shoulder part, and back-ground. By edge extraction, this picture is converted into the binarized image illustrated in

fig. 2. To accomplish that, the edges at the transitions between bright and dark in the original picture are used to prepare a kind of line drawing of the binarized image as illustrated in fig.

2. What is looked for is the two-dimensional face model of fig. 3, with the aid of the Hausdorff spacing, under the conditions explained in greater detail below.

The general Hausdorff spacing offers a means of determining the similarity of one dot group with another one by examining the proportion of dots in the one group which are located close to dots in the other group, or vice versa. There are two parameters to decide whether the two dot groups are similar or not: (i) the maximum distance by which the dots may be spaced from one another and yet be observed as lying close to one another, and (ii) which is the maximum proportion of dots in one group that has this distance from the dots in the other group.

Face finding by the measure of the Hausdorff spacing differs from other techniques, such as binary correlation, because there is no pairing of dots in the two groups which are compared. An explanation of the mathematical principles of the Hausdorff spacing may be found in the internet under the following address: <http://www.cs.cornell.edu/Vision/hausdorff/hausmatch.html>. The principles of the Hausdorff spacing to which reference is made are explained in that document.

The two-dimensional image of the picture presented in fig. 3 thus serves as a face model to be localized in the binarized image of fig. 2, making use of suitable two-dimensional transforms and scalings.

Fig. 4 shows the best conformity of the model of fig. 3 with the binarized image of fig. 2 and, therefore, the position found of the model in the binary image in the sense that in fig. 4 the greatest proportion of binarized edge points of fig. 2 lie in the vicinity of the image dots of fig. 3. When applying the Hausdorff spacing, conformity between the face model and the binarized image is found even if the corresponding binary dots do not coincide precisely.

To practice this model-based face finding method, the following modifications of the Hausdorff spacing are made in a preferred embodiment of the invention in order to achieve face finding in real time:

The invention uses a hierarchic approach with which, to begin with, the binarized image is greatly reduced in size, a correspondingly small face model is searched for in the reduced binarized image; when a specific region is recognized as a likely location of the face looked for then this region and its surroundings are enlarged in order to continue with the search operation based on a model face of corresponding greater size, and so on.

Different models are used in this hierarchic type of search, i.e. with the greatly reduced binarized image, for example, a model (fig. 3) including shoulders is used so that the recognition of the person will be reliable. The greater the scale of the binarized image, the finer the resolution and the more detailed the model will be for the face finding so that, ultimately, a model can be used which includes nothing but eyes, nose, and/or mouth, for example.

The edge extraction for preparing the binarized image of fig. 2 likewise may be adapted to the respective hierarchic levels at which resolutions of different degrees of fineness are required. The invention provides for use of an adaptive Sobel filter to accomplish that.

Respective suitable rotations of the image and/or model may be made within the various hierarchic levels.

Additionally, the invention preferably provides for prefiltering of the binarized image (erosion, dilation, etc.).

The modification of the Hausdorff spacing is another important feature of the invention. An especially preferred embodiment of the invention provides for working with a modified Hausdorff spacing in which not only the average distance of all the minimum distances between the model and the image is utilized as the measure of the spacing. Instead, the average value of the first x % ($0 < x < 100$) of all the minimum distances serves as the basis for calculating the Hausdorff measure so that larger deviations ("escapes") will not be taken into account and falsify the result.

C l a i m s

1. A method of finding a face in a binarized image by comparing the dot group of the binarized image with the dot group of a face model, wherein the dot groups of the binarized image and of the face model are compared on the basis of the Hausdorff spacing between the dots of the dot groups, and a face in the binarized image is recognized when a measure derived from the Hausdorff spacing fails to reach a limit value.
2. The method as claimed in claim 1, wherein the binarized image is derived from the original image by means of edge extraction.
3. The method as claimed in claim 1 or 2, wherein the binarized image first is compared on a small scale with a face model of corresponding small size, the area of the binarized image in which a face was found is enlarged and compared once again with a face model of corresponding larger size, the enlarging and comparing of the binarized image area and face model are repeated, as the case may be, until the face in the binarized image was localized with sufficient accuracy.
4. The method as claimed in claim 3, wherein different face models with different resolutions are used depending on the size of the binarized image.
5. The method as claimed in claim 3 or 4, wherein the edge extraction for deriving the binarized image from the original image is carried out with different resolutions depending on the size of the binarized image.
6. The method as claimed in any one of claims 3 to 5, wherein different steps of rotation are used depending on the size of the binarized image.
7. The method as claimed in any one of the preceding claims, wherein the Hausdorff measure is determined on the basis of the average value of the smallest x % of all minimum Hausdorff spacings, with $0 < x < 100$.

8. A system for implementing the method as claimed in any one of the preceding claims, comprising a computing device for calculating the Hausdorff spacing and the Hausdorff measure on the basis of the dots of the binarized image and the face model.

01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223

Abstract of the Disclosure

Personal recognition method and system,
including model-based face finding.

The invention relates to a face finding method and system in a binarized image by comparing the dot group of the binarized image with the dot group of a face model, wherein the dot groups of the binarized image and of the face model are compared on the basis of the Hausdorff spacing between the dots of the dot groups and a face is recognized in the binarized image when a measure derived from the Hausdorff spacing fails to reach a limit value.




Fig. 1




Fig. 2



Fig. 3




Fig. 4

This object is met, according to the invention, by a method comprising the features recited in claim 1 and a system comprising the features recited in claim 8.

The method and system according to the invention are model-based. What this means is that a binary image of a human face or a so-called "line drawing" is searched for in a corresponding overall image. Thus an original picture first is converted into a binary image, for instance, by means of edge extraction. This binarized image then is compared with a binary face model to seek and find the image of the human face in the corresponding binarized total image. In contrast to the known approaches, therefore, it is not the intensity value of the individual camera pixels which is compared or pixel variations which are looked for. Rather, the invention relies on a model structure of the type of a line drawing which may be available, for example, in the form of a bit image.

The model of the face or the "line drawing" is compared with the binarized image by means of a modified version of the so-called Hausdorff spacing in numerous scaling, rotation, and distortion variants of the image. The application of the Hausdorff spacing to face recognition was described, e.g. by B. Takacs and H. Wechsler in "Face Recognition Using Binary Image Metrics", 3rd International Conference on Automatic Face and Gesture Recognition, IEEE Proceedings, April 1998. Reference is expressly made to that publication and the explanation it contains of the Hausdorff spacing.

The publication mentioned describes the use of the Hausdorff spacing for purposes of face recognition. It is stated expressly that face finding is achieved by a method which is totally different. It was not taken into consideration in the prior art to apply the Hausdorff spacing for the purpose of face finding, among other things because this algorithm takes an awful lot of calculating time.

The fundamental differences between the problems of face finding and face recognition should be recalled: Once the face is found in a picture, especially in a moving picture this facial picture can be compared with a collection of faces from a data base by almost any method of recognition or identification. If the face in question is contained in the data base the hit rates in general usually are very high, amounting to approximately 99 %. What is difficult with personal recognition, however, is the preceding step, namely first to find the face in any random picture and make a perfect "cutout" thereof. What may appear to be a minor differ-

(Amended) Claims

1. A method of finding a face in a binarized image by comparing the dot group of the binarized image with the dot group of a face model, the face model being subjected to multiple two-dimensional transforms in order to locate the face model in the binarized image, and the dot groups of the binarized image and of the face model being compared on the basis of the Hausdorff spacing between the dots of the dot groups and a position of a face in the binarized image is found when a measure derived from the Hausdorff spacing fails to reach a limit value.
2. The method as claimed in claim 1, wherein the binarized image is derived from the original image by means of edge extraction.
3. The method as claimed in claim 1 or 2, wherein the binarized image first is compared on a small scale with a face model of corresponding small size, the area of the binarized image in which a face was found is enlarged and compared once again with a face model of corresponding larger size, the enlarging and comparing of the binarized image area and face model are repeated, as the case may be, until the face in the binarized image was localized with sufficient accuracy.
4. The method as claimed in claim 3, wherein different face models with different resolutions are used depending on the size of the binarized image.
5. The method as claimed in claim 3 or 4, wherein the edge extraction for deriving the binarized image from the original image is carried out with different resolutions depending on the size of the binarized image.
6. The method as claimed in any one of claims 3 to 5, wherein the face model and/or the binarized image are rotated and different steps of rotation are used depending on the size of the binarized image.
7. The method as claimed in any one of the preceding claims, wherein the Hausdorff measure is determined on the basis of the average value of a certain percentage of the smallest minimum Hausdorff spacings, the percentage being between 0 % and 100 %.

MAY 2001

ATTORNEY DOCKET NO. BOE01.001

COMBINED DECLARATION AND POWER OF ATTORNEY FOR UTILITY PATENT APPLICATION

As a below named inventor, I hereby declare:

that my residence, post office address and citizenship are as stated below next to my name;

that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named below) of the invention which is the subject of an application entitled: PERSONAL RECOGNITION METHOD AND SYSTEM INCLUDING MODEL-BASED FINDING; said invention being described and claimed [] in the attached specification [X] in the specification of application Serial No. 09/006 785, filed April 4, 2001; that I have reviewed and understand the content of said specification including the claims; that I do not know and do not believe the said invention was ever known or used in the United States before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to said application; that said invention was not in public use or on sale in the United States more than one year prior to said application; that said invention has not been patented or made the subject of an inventor's certificate issued before the date of said application in any country foreign to the United States on an application filed by me or my legal representatives or assigns more than twelve months prior to said application; that I acknowledge my duty to disclose information of which I am aware which is material to patentability as defined in 37 CFR 1.56; and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States prior to said application by me or my legal representatives or assigns, except as follows:

COUNTRY/INTERNATIONAL	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119/365 YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
GERMANY	10847261.7	5 OCTOBER 1998	YES <input type="checkbox"/> NO <input type="checkbox"/>

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application listed below:
U.S. Provisional Application S.N. _____ filed _____I hereby appoint L. Lawton Rogers, III, Reg. No. 26,302; D. Joseph English, Reg. No. 42,516; Mark C. Contois, Reg. No. 46,285; and Patrick D. McPherson, Reg. No. 46,255 to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and transact all business in connection with international applications directed to said invention:Address all correspondence to: Carter, Ledyard & Milburn
1401 Eye Street, N.W., Suite 300
Washington, DC 20005

Address all telephone calls to (202) 858-1515

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Robert Frischholz X 10/1/01 DATE 4.5.2001
FULL NAME OF SOLE OR FIRST INVENTOR SIGNATURE
HERDEFENWEG 9 80472 NÜRNBERG Germany
RESIDENCE CITIZENSHIP
s/o DCS Dialog Communication Systems AG Am Wetterkreuz 19a 91058 Erlangen, GERMANY DEX
POST OFFICE ADDRESS